



Steel Door

Strength, Durability & Security

Steel Door

Strength, Durability & Security



ECONFRAME® Steel Door offers a combination of strength, durability, and security that makes it a reliable choice for both residential and commercial properties. They require minimal maintenance and are compatible with modern locking systems, making them a practical and long-lasting investment for any building.



The quality and reliability of ECONFRAME® Steel Doors have made them a preferred choice for construction projects. Manufactured using high-quality galvanized steel and precision engineering techniques, these doors are built to perform. ECONFRAME® produces steel doors in a wide variety of sizes to meet the full range safety, security and aesthetic requirements. The combination of our galvanised steel door with a strong structure, such as a floor anchor and mortise lock set.




Duroe SUS304
Stainless Steel Hinges



Conceal Joint
Prevent water sipping



Floor Anchor



Duroe Mortise Lock Set



Steel Door

C O L L E C T I O N S



Model: ESD.SG.01



ESD.F.02



ESD.4H.03

PRODUCT SPECIFICATIONS

MATERIAL: GALVANIZED IRON (GI)

MATERIAL THICKNESS AVAILABILITY FOR DOOR LEAF: 0.8mm, 1.0mm, 1.2mm

MATERIAL THICKNESS AVAILABILITY FOR DOOR FRAME: 1.0mm, 1.2mm, 1.4mm

DOOR LEAF THICKNESS OPTION: 40mm, 45mm, 50mm

DOOR FRAME THICKNESS: 90mm - 300mm

MAX. DOOR FRAME SIZE FOR SINGLE LEAF: 1200mm (W) x 3000mm (H)

MAX. DOOR FRAME SIZE FOR DOUBLE LEAF: 2400mm (W) x 3000mm (H)

WALL CONSTRUCTION: Brickwall, Partition Wall, Shear Wall, Light Weight Block

CORE CONSTRUCTIONS: Honeycomb

FINISHING: Powder Coated / Spray Paint

IRONMONGERY: Duroe Ironmongery Lockset



ESD.1L1VP.07

ECONFRAME® Steel Door are available in a versatile selection of colors designed to complement any architectural style. From timeless neutrals to modern hues, our color range offers both aesthetic appeal and long-lasting durability. Each finish is applied using high-quality coating systems to resistance against fading, corrosion, and environmental wear, making our doors as resilient as they are stylish.



ESD.2V.04



ESD.LV.05



ESD.2L.06



ESD.1VP.08



ESD.1LVP.09



ESD.1FVP.10

COLOUR SELECTIONS



DS-01



DS-02



DS-03








DS-04



DS-05

DOOR & WINDOW FRAME PROFILE



IRONMONGERIES

LEVER HANDLE

DR-SSLH100

Material : Stainless Steel SUS304



DR-SSLH200

Material : Stainless Steel SUS304



DR-SSLH300

Material : Stainless Steel SUS304



DR-SSLH400

Material : Stainless Steel SUS304



DR-SSLH500

Material : Stainless Steel SUS304



DR-SSLH600

Material : Stainless Steel SUS304



DR-SSLH700

Material : Stainless Steel SUS304



DR-SSLH900

Material : Stainless Steel SUS304



MORTISE LOCK



S/S 304 Bolt



S/S 304 Latch



S/S 304
Forend Plate &
Striker Plate



MORTISE LOCK CLASSROOM

EURO PROFILE CYLINDER



DOOR SELECTOR



DOOR VIEWER



HINGES



DOOR CLOSER



www.econframe.com

Econframe Marketing Sdn. Bhd. (557046-U)
No. 1, Jalan Sungai Rasau 27A, Kaw. 16,
Kaw. Perindustrian Sungai Rasa,
41300 Klang, Selangor Darul Ehsan, Malaysia.
Tel: **+603 - 3348 7268** Fax: **+603 - 3348 7018**



CERTIFIED TO ISO 9001:2015
CERT. NO. : AR 6526